

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	"5990575".pn. "6415342".pn. "6441595".pn. "20030120847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:20
S2	674	bus adj interface adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:55
S3	1	(multi-mode or (multi adj mode)) adj power adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:56
S4	1865	pull-up adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:57
S5	28	S4 same (pull-up adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:59
S6	2183	pull adj up adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:58
S7	2183	S4 or S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:58
S8	44	S7 same (pull adj up adj voltage\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:59

S9	1	S2 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:02
S10	4	S2 same diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:05
S11	6212	control\$4 near3 (bus adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:06
S12	1	S11 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:06
S13	36	S11 same diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:19
S14	5535	(connect\$4 associat\$4 coupl\$4 hook\$4 interfac\$4 link\$4) near3 (board\$1 blade\$1) near3 bus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:31
S15	145	(isolat\$4 disconnect\$4 dissoctiat\$4 seperat\$4 uncoupl\$4 parting disjoin\$4) near3 (board\$1 blade\$1) near3 bus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:32
S16	37	S14 same S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:26

S17	15108	(sav\$4 minimiz\$4 conserv\$4 manag\$4 reserv\$4 reduc\$4 decreas\$4 lessen\$4) near3 (space (real adj estate)) near3 (board\$1 system\$1 circuit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:32
S18	0	S16 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:30
S19	9647	(connect\$4 associat\$4 coupl\$4 hook\$4 interfac\$4 link\$4) near5 (board\$1 blade\$1) near5 bus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:31
S20	267	(isolat\$4 disconnect\$4 dissociat\$4 separat\$4 uncoupl\$4 parting disjoin\$4) near5 (board\$1 blade\$1) near5 bus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:32
S21	117	S19 same S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:33
S22	25521	(sav\$4 minimiz\$4 conserv\$4 manag\$4 reserv\$4 reduc\$4 decreas\$4 lessen\$4) near5 (space (real adj estate)) near5 (board\$1 system\$1 circuit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:34
S23	0	S21 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:35
S24	121	diode\$1 with S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:35

S25	2074	(system host) adj slot\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:34
S26	5870	peripheral adj slot\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:35
S27	38	S25 with S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:36
S28	5	dual adj mode adj (board\$1 blade\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:35
S29	43	S25 same S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 10:36
S30	2185	pull adj up adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:04
S31	227	power\$4 near5 S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:05
S32	75	S31 with signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:15

S33	1	S32 with (power adj mode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:06
S34	9	S32 with (power adj source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:06
S35	1	selective\$3 near2 supply\$4 near3 (pull adj up adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:16
S36	66	supply\$4 near3 (pull adj up adj voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:21
S37	648	(pull adj up) near5 (signal adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:30
S38	1	multi adj mode adj power adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:26
S39	618	(pull adj up) near5 (power adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:30
S40	26	S37 with S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:26

S41	35	(pull adj up adj circuit\$1) near5 (signal adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:45
S42	85495	(pull adj up circuit\$1) near5 (power adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:30
S43	31	(pull adj up adj circuit\$1) near5 (power adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:31
S44	0	S41 with S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:31
S45	2	S41 same S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:36
S46	5	dual adj mode adj (board blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:40
S47	11	(pull adj up adj circuit\$1) with (voltage adj regulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:41
S48	89	(pull adj up adj circuit\$1) with ((voltage adj regulator) or (power adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:53

S49	2	S48 with S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:41
S50	7625	((voltage adj regulator) or (power adj source)) near3 diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:45
S51	1153	(signal adj line\$1) near3 diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:45
S52	7	S50 with S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:52
S53	522	(pull adj up adj resistor\$1) near5 diode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:52
S54	16	((voltage adj regulator) or (power adj source)) near5 S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:53
S55	4	S54 near5 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 08:53
S56	1	multi-mode adj power adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:11

S57	944	(power adj source) with pull-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:12
S58	552	(power adj source) near5 pull-up	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:12
S59	0	S58 with mode41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:13
S60	38	S58 with mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:12
S61	17	S60 with circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:30
S62	151	(voltage adj regulator) with (pull-up (pull adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:31
S63	12	S62 with mode\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:44
S64	1	S63 with circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:31

S65	2194	((pull adj up) pull-up) adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:45
S66	89	S65 with ((power adj source) (voltage adj regulator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 10:07
S67	3440	713/300,320,324,340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:48
S68	0	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 09:49
S69	2	S66 same (blade\$1 board\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/25 10:07
S70	2196	(pull-up (pull adj up)) adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:21
S71	343	S70 near3 signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 11:22
S72	14	S71 with ((voltage adj regulator\$1) or (power adj source\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:44

S73	2	"5586271".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:45
S74	2	"6078979".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 14:55
S75	43	((pull\$1up or (pull adj up)) adj (resistor\$1 resistance)) same (bus with isolat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:00
S76	98	(isolat\$5 with bus) same (pull\$up or (pull adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:37
S77	0	(isolat\$5 with bus) same (pull\$up or (pull adj up)) same (each with (line or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:00
S78	0	(isolat\$5 with bus) same (pull\$up or (pull adj up)) same (each)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:01
S79	3	(each with (line or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:01
S80	17	(isolat\$5 with bus) same (pull\$up or (pull adj up)) same diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:01

S81	0	(isolat\$5 with bus with each)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:01
S82	2364	(isolat\$5 with bus with (signal or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:04
S83	42	(isolat\$5 with bus with (signal or line) with individual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:04
S84	73	selectiv\$6 with isolat\$6 with signal with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/26 15:04
S85	1854	(diode) with (pull\$up or (pull adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:46
S86	62	S85 with isolat\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:44
S87	45	S86 same circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:47
S88	13038	schottky near3 diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:46

S89	80	(schottky near3 diode) with (pull\$up or (pull adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:47
S90	66	S89 same circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/30 12:47